Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	593	725/46,47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:13
L3	22	(US-20010049620-$ or US-20010054183-$ or US-20020023230-$ or US-20020083451-$ or US-20020129368-$ or US-20020178257-$ or US-20030018972-$ or US-20030101451-$).did. or (US-5721583-$ or US-5740549-$ or US-5757417-$ or US-5758257-$ or US-5801747-$ or US-5848396-$ or US-5861906-$ or US-6020883-$ or US-6029045-$ or US-6438752-$ or US-6519771-$ or US-6530083-$ or US-6614987-$ or US-6698020-$). did.	US-PGPUB; USPAT	OR	ON	2005/09/20 13:14
L4	0	3 and (store adj current adj (profile preference))	US-PGPUB; USPAT	OR	ON	2005/09/20 13:14
L5	12	3 and (store with (profile preference))	US-PGPUB; USPAT	OR	ON	2005/09/20 13:14
L6	6	3 and (store adj (profile preference))	US-PGPUB; USPAT	OR	ON	2005/09/20 13:22
L7	1	3 and (load near3 (profile preference))	US-PGPUB; USPAT	OR	ON	2005/09/20 13:23
L8	3	"725".clas. and ((load near3 (profile preferences)) with store)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:25
L9	21	"725".clas. and (load near3 (profile preferences))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:29
L10	45	"725".clas. and (multiple adj (profile preferences))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:31

L11	3	"725".clas. and (store with load with (profile preference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:32
L12	1	(load adj alternate adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:33
L13	2	(load adj (alternate different) adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:33
L14	6	((load adj (profile preferences)) same store) and ("725".clas. "348". clas. "386".clas. "715".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:36
L15	253	((multiple multiplicity several) adj profile) and ("725".clas. "348".clas. "386".clas. "715".clas. "709".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:44
L16	4	15 and (load adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:40
L17	11	15 and (load near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:40
L18	7	17 not 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:43

L19	11	17 and ((load change switch retrieve) near4 (profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:43
L20	126	15 and ((load change switch retrieve) near4 (profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:43
L21	121	15 and ((load change switch retrieve) near3 (profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:44
L22	157	((multiple multiplicity several) adj profile) and ("725".clas. "348".clas. "386".clas. "715".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:44
L23	78	22 and ((load change switch retrieve) near3 (profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:57
L24	33	((save saving store) adj (current present) adj (profile preference history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:02
L25	5	((save saving store) adj (current present) adj (profile preference history)) and ("725".clas. "348".clas. "386".clas. "715".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:01
L26	50	(((save saving store) near2 (current present)) with (profile preference history)) and ("725".clas. "348".clas. "386".clas. "715".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:09

L27	63	(((save saving store) near2 (current present)) with (profile preference history)) and (tv television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:13
L28	41	27 not 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:09
L29	1410	((save saving store) and (load loading retrieve retrieving)) near3 (profile preferences)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:16
L30	380	29 and (tv television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:15
L31	67	(((save saving store) near3 (profile preferences)) with (load loading retrieve retrieving)) and ("725".clas. "348".clas. "386".clas. "715".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:20
L32	119	((switch adj profile) (change adj profile) (load adj (different alternate) adj profile)) and ("725". clas. "348".clas. "386".clas. "715". clas. "707".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:45
L33	27413	(open load) near5 (save store)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:45
L34	353	(open load) near5 ((save store) near2 (current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:53

L35	22	((open load) near5 ((save store) near2 (current))) and ("725".clas. "348".clas. "386".clas. "715".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:50
L36	353	((open load) near5 ((save store) near2 (current)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:50
L37	29	((open load) near5 ((save store) near2 (current))) and (tv television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:50
L38	21	37 not 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:50
L39	2	((open load) near5 ((save store) near2 (current)) same profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:53
L40	0	((open load restore retrieve) near5 ((save store) near2 ((current) adj profile)) same profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:54
L41	0	((open load restore retrieve) near5 ((save store) near2 ((current) adj profile)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:54
L42	64	(store save saving storing) near5 (current adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:57

L43	9	(725/46,47.ccls.) and ((multiple multiplicity) adj (profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:03
L44	770	((multiple multiplicity) adj (profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:03
L45	161	((multiple multiplicity) adj (profile)) and (television tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:32
L46	1471	((multiple multiplicity several) adj (profile$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:32
L47	391821	(loading load open retrieve opening retrieving) and profile$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:34
L48	397405	(loading load open retrieve opening retrieving restore restoring) and profile$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:34
L49	141822	(store storing save saving) and profile$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:52
L50	900	46 and 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:54

L51	748	46 and 49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:52
L52	566	50 and 51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:35
L53	1886	((store storing save saving) adj current) and profile$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:53
L54	17162	46 adn 53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:53
L55	47	46 and 53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:53
L56	1	50 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:54
L57	44	50 and 55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 17:30
L58	827	725/23,24.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 17:30

S1	2	"20030028871".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:11
S2	32	("20020023230"|"4965825"|"5371551"|"5619249"|"5625464"|"5635979"|"5740549"|"5797010"|"5826102"|"5852435"|"5861906"|"5884056"|"6064380"|"6269369"|"6460036"|"6574378").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:53
S3	16	("20020023230"|"4965825"|"5371551"|"5619249"|"5625464"|"5635979"|"5740549"|"5797010"|"5826102"|"5852435"|"5861906"|"5884056"|"6064380"|"6269369"|"6460036"|"6574378").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 15:48
S4	5150	bertram.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 15:48
S5	13	bertram.in. and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 15:49
S6	6	bedard.in. and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 17:11
S7	3	(content adj surfer)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 17:12
S8	37	(chang$4 adj channel) near1 frequently	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 17:17
S9	355	(surf surfer) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 17:19

S10	13948	(surf surfer) same (profile behavior preference$1) "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 17:20
S11	39	(surf surfer) same (profile behavior preference$1) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/15 17:20
S12	39	(surf surfer) same (profile behavior preference$1) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:05
S13	12	ismail.in. and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:21
S14	329	(type near1 user) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:21
S15	852	(type near2 user) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:28
S16	21	(type near2 user) and (first near3 filter$4) and (second near3 filter$4) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:24
S17	38	wang.in. and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:24
S18	23	(type near2 user) and (content near1 filter$4) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:31

S19	856	("user type" (type$1 near2 user$1)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:32
S20	3	(("user type" (type$1 near2 user$1)) with (classify)) and "725". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:32
S21	3	(("user type" (type$1 near2 user$1)) with (classify classified)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:33
S22	4	(("user type" (type$1 near2 user$1)) with (classify classified categoriz$4)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:34
S23	1	(("user type" (type$1 near1 user$1)) with (classify classified categoriz$4)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:34
S24	332	("user type" (type$1 near1 user$1)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:52
S25	49766	(filter$4 near2 first) and (filter$4 near2 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:52
S26	69	((filter$4 near2 first) with (content channel program programming)) and (filter$4 near2 second) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:53